

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Issue date: 10/01/2022

Revision date: 10/1/2022

Supersedes: 15/01/2019

Version: 1.2

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1. Product identifier

Trade name	HVU2
Chemical name	Adhesive Capsule HVU2
Generic name	HVU2 M8 - M30
Product form	Mixture
Product code	BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use	Adhesive anchor capsule for anchor fastening in concrete
Restrictions on use	For professional use only

1.4. Supplier's details

Supplier

Hilti (Malaysia) Sdn. Bhd.
F-5-A, Sime Darby Brunfield Tower, No. 2, Jalan PJU 1A/7A
Oasis Square, Oasis Damansara
47301 Petaling Jaya, Selangor - Malaysia
T +60 3 5628 7222
; 1800 880 985 toll free - F +60 3 7848 7399

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
86916 Kaufering - Deutschland
T +49 8191 906876
anchor.hse@hilti.com

1.5. Emergency phone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Skin Sens. 1	H317
Repr. 1B	H360D
Aquatic Chronic 2	H411

2.2. Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Hazard pictograms (GHS MY)



GHS07

GHS08

GHS09

Signal word (GHS MY)

Danger

Contains

dibenzoyl peroxide; dicyclohexyl phthalate; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol; 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester

Hazard statements (GHS MY)

H317 - May cause an allergic skin reaction
H360D - May damage the unborn child
H411 - Toxic to aquatic life with long lasting effects

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Precautionary statements (GHS MY)

P280 - Wear eye protection, protective clothing, protective gloves
P262 - Do not get in eyes, on skin, or on clothing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P337+P313 - If eye irritation persists: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	(CAS-No.) 27813-02-1	4 - < 8
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	(CAS-No.) 2082-81-7	2.5 - 5
dibenzoyl peroxide	(CAS-No.) 94-36-0	0.5 - < 1.5
dicyclohexyl phthalate	(CAS-No.) 84-61-7	1 - 2.5
1,1'-(p-tolylimino)dipropan-2-ol	(CAS-No.) 38668-48-3	< 0.5

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
EAC code	2Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep cool. Protect from sunlight. Expiry date: See date printed on box and capsule. Do not use if expiry date has been exceeded!.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Heat and ignition sources	Keep away from heat and direct sunlight.
Storage temperature	-20 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HVU2 M8 - M30	
Malaysia - Occupational Exposure Limits	
PEL (OEL TWA) [1]	5 mg/m ³
Remark (MY)	(kulit # skin)

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

dibenzoyl peroxide (94-36-0)	
Malaysia - Occupational Exposure Limits	
Local name	Benzoil peroksida # Benzoyl peroxide
PEL (OEL TWA) [1]	5 mg/m ³

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls Ensure adequate ventilation.

8.4. Personal protective equipment

Hand protection:

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection:

Wear security glasses which protect from splashes

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Skin and body protection:

Wear suitable protective clothing

Personal protective equipment symbol(s):



Environmental exposure controls

Avoid release to the environment.

Consumer exposure controls

Avoid contact during pregnancy/while nursing.

SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Pasty, foil capsule.
Colour	resin: yellowish liquid hardener: white powder
Odour	characteristic
Odour threshold	No data available
pH	No data available
Melting point, Freezing point	No data available
Boiling point	No data available
Flash point	> 101 °C (DIN EN ISO 1523)

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Evaporation rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Vapour pressure	Vapour pressure: 0.1 hPa
Relative vapour density at 20 °C	No data available
Relative density	No data available
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	20 mm ² /s (ISO 2431) 2.95 g/cm ³
Viscosity, dynamic	No data available
Density	2.95 g/cm ³
SADT	55 °C (Peroxide)

SECTION 10: Stability and reactivity

Reactivity	No data available
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	No additional information available
Conditions to avoid	Direct sunlight, Extremely high or low temperatures
Incompatible materials	Strong acids, Strong bases
Hazardous decomposition products	fume, Carbon monoxide, Carbon dioxide, Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

dicyclohexyl phthalate (84-61-7)	
LD50 oral rat	41400 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion or irritation	Not classified
------------------------------	----------------

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Serious eye damage or eye irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	May damage the unborn child.
Specific target organ toxicity (STOT) – single exposure	Not classified
Specific target organ toxicity (STOT) – repeated exposure	Not classified
Aspiration hazard	Not classified

HVU2 M8 - M30	
Viscosity, kinematic	20 mm ² /s (ISO 2431)
Potential adverse human health effects and symptoms	No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects.

dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

dicyclohexyl phthalate (84-61-7)	
LC50 - Fish [1]	> 10000 mg/l (96 h; Brachydanio rerio; Static system)
LC50 - Other aquatic organisms [1]	1.04 mg/l
NOEC (acute)	> 2 mg/l
NOEC chronic crustacea	0.181 mg/l
BCF - Fish [1]	640 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	≤ 100
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Threshold limit - Algae [1]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LC50 - Other aquatic organisms [1]	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28.8 mg/l
NOEC (acute)	57.8 mg/l
Partition coefficient n-octanol/water (Log Kow)	2.1

12.2. Persistence and degradability

HVU2 M8 - M30	
Persistence and degradability	No additional information available
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.
dicyclohexyl phthalate (84-61-7)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water.
ThOD	2.376 g O ₂ /g substance
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Not rapidly degradable	
Biodegradation	84 %

12.3. Bioaccumulative potential

HVU2 M8 - M30	
Bioaccumulative potential	No additional information available
dibenzoyl peroxide (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
dicyclohexyl phthalate (84-61-7)	
BCF - Fish [1]	640 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
BCF - Fish [1]	≤ 100

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Partition coefficient n-octanol/water (Log Kow)	2.1

12.4. Mobility in soil

HVU2 M8 - M30	
Mobility in soil	No additional information available
dibenzoyl peroxide (94-36-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
dicyclohexyl phthalate (84-61-7)	
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Partition coefficient n-octanol/water (Log Kow)	2.1

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal information

13.1. Disposal methods

Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7			

14.6. Special precautions for user

Overland transport

Classification code (ADR)	M7
Special provisions (ADR)	274, 335, 375, 601
Limited quantities (ADR)	5kg
Packing instructions (ADR)	P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	MP10
Transport category (ADR)	3
Orange plates	

Tunnel restriction code (ADR)	-
EAC code	2Z

Transport by sea

Special provisions (IMDG)	274, 335, 966, 967, 969
Limited quantities (IMDG)	5 kg

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Packing instructions (IMDG)	LP02, P002
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-F
Stowage category (IMDG)	A
Stowage and handling (IMDG)	SW23

Air transport

PCA packing instructions (IATA)	956
PCA max net quantity (IATA)	400kg
CAO packing instructions (IATA)	956
Special provisions (IATA)	A97, A158, A179, A197, A215

Rail transport

Special provisions (RID)	274, 335, 375, 601
Limited quantities (RID)	5kg
Packing instructions (RID)	P002, IBC08, LP02, R001

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8. 14.8. Hazchem or Emergency Action Code

EAC code	2Z.
----------	-----

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation		Component/ Mixture	
Environmental Quality (Chlorofluorocarbons Prohibition) Order 1993	Not applicable	HVU2 M8 - M30	
Environmental Quality (Industrial Effluent) Regulations 2009		HVU2 M8 - M30	
Environmental Quality (Scheduled Wastes) Regulations 2007		HVU2 M8 - M30	
Control of Industrial Major Accident Hazards Regulations 1996		HVU2 M8 - M30	
Prohibition of Use of Substance Order 1999		HVU2 M8 - M30	
Use and Standards of Exposure of Chemical Hazardous to Health Regulations 2000		HVU2 M8 - M30	
Chemical Weapons Convention Act		HVU2 M8 - M30	
Corrosive and Explosive Substances and Offensive Weapons Act		HVU2 M8 - M30	
Dangerous Drugs Act		HVU2 M8 - M30	
Pesticides Act		HVU2 M8 - M30	
Petroleum (Safety Measures) Act		HVU2 M8 - M30	
Poisons Act 1952		Poisons List part I - Group B substance	HVU2 M8 - M30
		Poisons List part II substance	HVU2 M8 - M30
Poisons (Psychotropic Substances) Regulations 1989	Not applicable	HVU2 M8 - M30	

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

Version 1.2
 Issue date 10/1/2022
 Revision date 10/01/2022
 Supersedes 15/01/2019

Indication of changes:

Section	Changed item	Change	Comments
3.2	Composition/information on ingredients	Modified	
14	Transport information	Added	

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 BCF - Bioconcentration factor
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
 DMEL - Derived Minimal Effect level
 DNEL - Derived-No Effect Level
 EC50 - Median effective concentration
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 LC50 - Median lethal concentration
 LD50 - Median lethal dose
 LOAEL - Lowest Observed Adverse Effect Level
 NOAEC - No-Observed Adverse Effect Concentration
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 OECD - Organisation for Economic Co-operation and Development
 PBT - Persistent Bioaccumulative Toxic
 PNEC - Predicted No-Effect Concentration
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet
 vPvB - Very Persistent and Very Bioaccumulative
 None.

Other information

Full text of H-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage or eye irritation, Category 2
Flam. Liq. Not classified	Flammable liquids Not classified
Org. Perox. B	Organic Peroxides, Type B
Repr. 1B	Reproductive toxicity, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H241	Heating may cause a fire or explosion

HVU2 M8 - M30

Safety Data Sheet

According to ICOP 2014

H300	Fatal if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H360D	May damage the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS_MY_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.