

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : SYNTHESO GLEP 1

Article-No. : 012142

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

Manufacturer or supplier's details

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com
Material Compliance Management

National contact : Klüber Lubrication (Malaysia) Sdn. Bhd.
No 3-5, Level 3 Tower 9
UOA Business Park
No. 1 Jalan Pengaturcara U1/51A
40150 Shah Alam, Selangor
Malaysia
Tel: +603-5569 9990
Fax: +603-5569 7990
E-Mail: sales@my.klueber.com
www.klueber.com

Emergency telephone number : +49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification


Classification of the hazardous chemical

Skin sensitisation : Category 1

Label elements

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification
None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Chemical nature : polyalkylene glycol oil
special lithium soap

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
lithium 12-hydroxystearate	7620-77-1	>= 3 -< 5
dilithium azelate	38900-29-7	>= 1 -< 3
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Not Assigned	>= 1 -< 3

SECTION 4: First aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Allergic appearance
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5: Firefighting measures

Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

Physicochemical hazards arising from the chemical

- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
Metal oxides

Special protective equipment and precautions for fire-fighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.
- Specific extinguishing methods : Standard procedure for chemical fires.

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

SECTION 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Storage

Conditions for safe storage, including any incompatibilities

- Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

SYNTHESO GLEP 1

Version 2.7 Revision Date: 25.08.2021 Date of last issue: 22.02.2021 Print Date: 25.08.2021
Date of first issue: 18.06.2014

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lithium 12-hydroxystearate	7620-77-1	TWA	10 mg/m ³	MY PEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH

Appropriate engineering controls : none

Individual protection measures, such as personal protective equipment

Eye/face protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9: Physical and chemical properties

Appearance : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

substance/mixture is non-soluble (in water)

Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.97 (20 °C) Reference substance: Water The value is calculated
Density	:	0.97 g/cm ³ (20 °C)
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Sublimation point : No data available

SECTION 10: Stability and reactivity

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on likely routes of exposure : None known.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

lithium 12-hydroxystearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

dilithium azelate:

Acute oral toxicity : LD50 (Rat): > 300 mg/kg
Method: OECD Test Guideline 420
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Assessment: The substance or mixture has no acute dermal toxicity

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

lithium 12-hydroxystearate:

Assessment : No skin irritation
Method : OECD Test Guideline 439
Result : No skin irritation

dilithium azelate:

Assessment : No skin irritation
Result : No skin irritation

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)
Assessment : No skin irritation
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

lithium 12-hydroxystearate:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

dilithium azelate:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

lithium 12-hydroxystearate:

Exposure routes : Dermal
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

dilithium azelate:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Product:

Remarks : No data available

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - Assessment : - Fertility -
Animal testing did not show any effects on fertility.

STOT - single exposure

Components:

dilithium azelate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

dilithium azelate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

dilithium azelate:

No aspiration toxicity classification

SYNTHESES GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae :
Remarks: No data available

Toxicity to microorganisms :
Remarks: No data available

Components:

lithium 12-hydroxystearate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

dilithium azelate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

lithium 12-hydroxystearate:

Biodegradability : Primary biodegradation
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 74.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

lithium 12-hydroxystearate:

Partition coefficient: n-octanol/water : log Pow: 2.6

dilithium azelate:

Bioaccumulation : Bioconcentration factor (BCF): 3.0

Partition coefficient: n-octanol/water : log Pow: -3.56

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-octanol/water : log Pow: 9.01

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

SECTION 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

SYNTHESO GLEP 1

Version 2.7	Revision Date: 25.08.2021	Date of last issue: 22.02.2021 Date of first issue: 18.06.2014	Print Date: 25.08.2021
----------------	------------------------------	---	---------------------------

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

SECTION 16: Other information

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average
MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SYNTHESES GLEP 1

Version	Revision Date:	Date of last issue: 22.02.2021	Print Date:
2.7	25.08.2021	Date of first issue: 18.06.2014	25.08.2021

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.