

Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : Klüberplex BE 31-222

Article-No. : 017132

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

Manufacturer or supplier's details

Company : Klüber Lubrication München

Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com

E-mail address of person : mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact : Klüber Lubrication (Malaysia) Sdn. Bhd.

No 3-5, Level 3 Tower 9 UOA Business Park

No. 1 Jalan Pengaturcara U1/51A 40150 Shah Alam, Selangor

Malaysia

Tel: +603-5569 9990 Fax: +603-5569 7990

E-Mail: sales@my.klueber.com

www.klueber.com

Emergency telephone number : +49 89 7876 700 (24 hrs)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Not a hazardous substance or mixture.

Label elements

Not a hazardous substance or mixture.





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 Date of first issue: 10.11.2014 06.07.2020

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Chemical nature : Mineral oil.

special calcium soap

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy par-	64742-54-7	>= 60 -<= 100
affinic		
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole	59656-20-1	>= 1 -< 2.5

SECTION 4: First aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Unsuitable extinguishing

media

High volume water jet

Physicochemical hazards arising from the chemical

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Sulphur oxides

Special protective equipment and precautions for fire-fighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	MY PEL
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH

Appropriate engineering

controls

none

Individual protection measures, such as personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

SECTION 9: Physical and chemical properties

Appearance : paste





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Colour : beige

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.01 hPa (20 °C)

Relative vapour density : No data available

Density : 0.96 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive



Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Oxidizing properties : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on likely routes of : None known.

exposure

Acute toxicity

Product:

Acute inhalation toxicity : Remarks: This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

Information given is based on data obtained from similar sub-

stances.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Information given is based on data obtained from

similar substances.

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Test Type : Buehler Test Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: Information given is based on data obtained from





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

similar substances.

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight General Toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 421

Remarks: Information given is based on data obtained from

similar substances.

Reproductive toxicity - As-

sessment

No toxicity to reproduction

Animal testing did not show any effects on foetal develop-

ment.



Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

STOT - single exposure

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Species : Rat

NOAEL : 250 mg/kg

Application Route : Oral

Method : OECD Test Guideline 421

Remarks : Information given is based on data obtained from similar sub-

stances.

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.



Klüberplex BE 31-222

 Version
 Revision Date:
 Date of last issue: 22.11.2019
 Print Date: 06.07.2020

 1.7
 06.07.2020
 Date of first issue: 10.11.2014
 06.07.2020

SECTION 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h
Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201





Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-

octanol/water

: log Pow: > 2

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:



Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 3.16

Partition coefficient: n-

octanol/water

log Pow: 8 (20 °C)

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: No information on ecology is available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Results of PBT and vPvB

assessment

Non-classified vPvB substance Non-classified PBT substance

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

SECTION 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good



Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

SECTION 16: Other information

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

MY PEL : Malaysia. Occupational Safety and Health (Use and Stand-

ards of Exposure of Chemicals Hazardous to Health) Regula-

tions 2000.

ACGIH / TWA : 8-hour, time-weighted average

MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-



Klüberplex BE 31-222

Version Revision Date: Date of last issue: 22.11.2019 Print Date: 1.7 06.07.2020 Date of first issue: 10.11.2014 06.07.2020

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.