

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

**SECTION 1: Identification of the hazardous chemical and of the supplier**

**Product identifier**

Product name : Klübersynth GE 14-151 (H)

Article-No. : 012364

**Recommended use of the chemical and restrictions on use**

Recommended use : Grease

Restrictions on use : Restricted to professional users.

**Manufacturer or supplier's details**

Company name of supplier : Klüber Lubrication München GmbH & Co. KG  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel.: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com

National contact : Klüber Lubrication (Malaysia) Sdn. Bhd.  
No 3-5, Level 3 Tower 9  
UOA Business Park  
No. 1 Jalan Pengaturcara U1/51A  
40150 Shah Alam, Selangor  
Malaysia  
Tel: +603-5569 9990  
Fax: +603-5569 7990  
E-Mail: sales@my.klueber.com  
www.klueber.com

Emergency telephone number : +49 89 7876 700 (24 hrs)

**SECTION 2: Hazards identification**

**Classification of the hazardous chemical**

Not a hazardous substance or mixture.

**Label elements**

Not a hazardous substance or mixture.

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

Chemical nature : Synthetic hydrocarbon oil  
ester oil  
aluminium complex soap  
solid lubricant

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
disodium sebacate	17265-14-4	>= 3 -< 5
Molybdenum, bis(dibutylcarbomodithioato)di- $\mu$ -oxodioxodi-, sulfurized	68412-26-0	>= 1 -< 2.5

**SECTION 4: First aid measures**

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.  
Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.

Notes to physician : Treat symptomatically.

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

**SECTION 5: Firefighting measures**

**Extinguishing media**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

**Physicochemical hazards arising from the chemical**

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus  
Metal oxides

**Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

Specific extinguishing methods : Standard procedure for chemical fires.

**SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

**SECTION 7: Handling and storage**

**Handling**

**Precautions for safe handling**

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

application area.  
Wash hands and face before breaks and immediately after handling the product.

**Storage**

**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**SECTION 8: Exposure controls and personal protection**

**Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(benzoato-O,O')hydroxy(octadecanoato-O,O')aluminium	54326-11-3	TWA	10 mg/m3	MY PEL (2000-04-04)
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH (2018-03-20)
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	MY PEL (2000-04-04)
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

**Appropriate engineering controls** : none

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Safety glasses

Skin protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

Hand protection  
Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**SECTION 9: Physical and chemical properties**

Appearance : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.93 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0.93 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Particle size : Not applicable

**SECTION 10: Stability and reactivity**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**disodium sebacate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 34.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**disodium sebacate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : no

**Molybdenum, bis(dibutylcarbamoedithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Assessment : No skin irritation  
Method : OECD Test Guideline 439  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**disodium sebacate:**

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 437  
GLP : yes

**Molybdenum, bis(dibutylcarbamoedithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes



**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**disodium sebacate:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Species : Mouse  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 429  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**disodium sebacate:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

Remarks : No data available

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**disodium sebacate:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**STOT - single exposure**

**Product:**

Remarks : No data available

**STOT - repeated exposure**

**Product:**

Remarks : No data available

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**disodium sebacate:**

No aspiration toxicity classification

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**SECTION 12: Ecological information**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other :  
aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic :  
plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:**

**disodium sebacate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38.7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: ISO 10253  
GLP: yes

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test

**Ecotoxicology Assessment**

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**disodium sebacate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 89 %  
Exposure time: 28 d

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301  
GLP: yes

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**disodium sebacate:**

Partition coefficient: n- : log Pow: -4.9 (20 °C)  
octanol/water pH: 7.8

**Molybdenum, bis(dibutylcarbamodithioato)di- $\mu$ -oxodioxodi-, sulfurized:**

Partition coefficient: n- : log Pow: 6.24 - 7.28  
octanol/water

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among : Remarks: No data available  
environmental compartments

**Other adverse effects**

**Product:**

Additional ecological : No information on ecology is available.  
information

---

**SECTION 13: Disposal information**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

**Klübersynth GE 14-151 (H)**

Version 1.12	Revision Date: 24.05.2024	Date of last issue: 16.11.2023 Date of first issue: 20.03.2014	Print Date: 24.05.2024
-----------------	------------------------------	---	---------------------------

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

**SECTION 14: Transport information**

**International Regulations**

**UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information**

**Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

**SECTION 16: Other information**

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average

MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;

**Klübersynth GE 14-151 (H)**

Version	Revision Date:	Date of last issue: 16.11.2023	Print Date:
1.12	24.05.2024	Date of first issue: 20.03.2014	24.05.2024

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.