

### CFS-F FX / CP 660

Safety information for 2-Component-products

Issue date: 22/11/2024

Revision date: 22/11/2024

Supersedes: 17/10/2022

Version: 6.2

#### **SECTION 1: Kit identification**

#### **1.1 Product identifier**

Trade name Product code CFS-F FX / CP 660 BU Fire Protection



#### **1.2 Details of the supplier of the Safety information for 2-Component-products**

Hilti (Malaysia) Sdn. Bhd. F-5-A, Sime Darby Brunsfield Tower, No. 2, Jalan PJU 1A/7A Oasis Square, Oasis Damansara 47301 Petaling Jaya, Selangor - Malaysia T +60 3 5628 7222 1800 880 985 toll free - F +60 3 7848 7399

#### **SECTION 2: General information**

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

#### **SECTION 3: Kit contents**

#### **Classification of the Product**

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373

#### Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2014)

Danger

Hazard pictograms (GHS MY)



H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Signal word (GHS MY) Hazard statements (GHS MY)

22/11/2024 MY



## CFS-F FX / CP 660


Kit Safety Information Sheet (SIS)

- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H334 May cause allergic or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS MY)

- P260 Do not breathe vapours P280 - Wear eye protection, protective clothing, protective gloves
- P284 Wear respiratory protection
- P302+P352 IF ON SKIN: Wash with plenty of soap and water
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
- contact lenses, if present and easy to do. Continue rinsing
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or
- doctor/physician

#### Additional information



Name	General description	Quantity	Unit	Classification according to Industry Code of Practice on chemicals classification and hazard communication (2014)
CFS-F FX, A / CP 660, A		1	pcs (pieces)	Skin Sens. 1, H317
CFS-F FX, B / CP 660, B		1	pcs (pieces)	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373

		SECT	ON 4:	General	advice
--	--	------	-------	---------	--------

General advice

SECTION E. So

For professional users only

Environmental precautions	Avoid release to the environment
Storage conditions	Store in a well-ventilated place. Keep cool.
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Wear personal protective equipment Do not breathe vapours. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes In case of inadequate ventilation wear respiratory protection.
Methods for cleaning up	Take up liquid spill into absorbent material Notify authorities if product enters sewers or public waters

#### **SECTION 6: First aid measures**

First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell



## CFS-F FX / CP 660

Kit Safety Information Sheet (SIS)

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell
First-aid measures after skin contact	Wash with plenty of water/… If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing.
First-aid measures general	If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	Eye irritation
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	Irritation May cause an allergic skin reaction.
Other medical advice or treatment	Treat symptomatically

#### SECTION 7: Fire fighting measures

Protection during firefighting

Hazardous decomposition products in case of fire

Self-contained breathing apparatus Complete protective clothing Toxic fumes may be released Carbon dioxide Carbon monoxide

#### **SECTION 8: Other information**



#### CFS-F FX, A / CP 660, A Safety Data Sheet

According to ICOP 2014 Issue date: 22/11/2024 Revision date: 22/11/2024

Supersedes: 17/10/2022

Version: 6.2

#### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1. Product identifier

Name

CFS-F FX, A / CP 660, A

#### 1.2. Other means of identification

Product code

BU Fire Protection

#### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Supplier details

Supplier Hilti (Malaysia) Sdn. Bhd. F-5-A, Sime Darby Brunsfield Tower, No. 2, Jalan PJU 1A/7A Oasis Square, Oasis Damansara 47301 Petaling Jaya, Selangor Malaysia T +60 3 5628 7222 1800 880 985 toll free - F +60 3 7848 7399

#### Department issuing data specification sheet Hilti AG Feldkircherstraße 100 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-fire.protection@hilti.com

#### 1.5. Emergency phone number

Emergency number

GBK GmbH Global Regulatory Compliance +49 (0)6132-84463

Country	Organisation/Company	Address	Emergency number	Comment
Malaysia	Malaysia National Poison Centre	11800 Penang	+60 (0)4 6536 999	
	(NPC)		(Mon-Fri 8am-10pm;	
	Universiti Sains Malaysia		Sat, Sun & Public	
			Holiday 8am-5pm)	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the hazardous chemical

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2019) Skin sensitisation, Category 1 H317

#### 2.2. Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2019) Hazard pictograms (GHS MY)

Signal word (GHS MY) Contains Hazard statements (GHS MY) Precautionary statements (GHS MY) Warning Ethylenediamine, ethoxylated and propoxylated H317 - May cause an allergic skin reaction P280 - Wear eye protection, protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of soap and water

#### 2.3. Other hazards that do not result in classification

No additional information available



Safety Data Sheet According to ICOP 2014

#### SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	
Ethylenediamine, propoxylated	CAS-No.: 25214-63-5	2,5 - <5	
Ethylenediamine, ethoxylated and propoxylated	CAS-No.: 26316-40-5	2,5 - <5	

SECTION 4: First-aid measures	
4.1. Description of necessary first aid measured	Ires
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash
	occurs: Get medical advice/attention.
First-aid measures after eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with
First-aid measures after ingestion	water for several minutes. If eye irritation persists: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
ç	
4.2. Most important symptoms/effects, acute	
Symptoms/effects after skin contact	May cause an allergic skin reaction.
4.3. Indication of immediate medical attention	on and special treatment needed, if necessary
Other medical advice or treatment	Treat symptomatically.
SECTION 5: Fire-fighting measures	
5.1. Suitable extinguishing media	
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Physicochemical hazards arising from t	he chemical
Hazardous decomposition products in case of fire	Toxic fumes may be released. Carbon monoxide. Carbon dioxide.
5.3. Special protective equipment and preca	utions for fire fighters
Protection during firefighting	Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective equipm	nent, and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	For further information refer to section 8: "Exposure controls/personal protection". Use
	personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and materials for containment	and cleaning up
Methods for cleaning up	Take up liquid spill into absorbent material.



Safety Data Sheet According to ICOP 2014

	safe handling				
Precautions for safe handling		Ensure good ventilatior personal protective equ	ipment.		
Hygiene measures		Wash contaminated clo product. Always wash h			ke when using this
7.2. Conditions for s	afe storage, including ar	ny incompatibilities			
Storage conditions		Store in a well-ventilate	ed place. Keep cool.		
Storage temperature		5 – 25 °C			
SECTION 8: Expe	osure controls and p	personal protection	on		
8.1. Control paramet	ers				
No additional information	available				
•	or the other components				
No additional information	available				
8.1.1 Biological mon					
No additional information	available				
8.2. Appropriate eng					
Appropriate engineering	controls	Ensure good ventilatior	n of the work station.		
8.3. Individual protect	tion measures, such as	PPE			
Hand protection:					
Ū	sted to EN374. Suitable for sh ).1 mm). In case of permaner	•	ash guard:		
	Material	Permeation	Thickness (mm)	Penetration	Standard
Туре			>0,35mm		
Type Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	20,3511111		
	Nitrile rubber (NBR) Butyl rubber	6 (> 480 minutes) 6 (> 480 minutes)	>0,35mm		
Disposable gloves		· · · ·	,		
Disposable gloves Disposable gloves	Butyl rubber	· · · ·	,		
Disposable gloves Disposable gloves Eye protection: Chemical goggles or sa	Butyl rubber	· · · ·	,		
Disposable gloves Disposable gloves Eye protection: Chemical goggles or sat Skin and body protect	Butyl rubber	· · · ·	,		
Disposable gloves Disposable gloves Eye protection: Chemical goggles or sat	Butyl rubber	· · · ·	,		
Disposable gloves Disposable gloves Eye protection: Chemical goggles or sat Skin and body protect	Butyl rubber	· · · ·	,		



22/11/2024



Safety Data Sheet According to ICOP 2014

Environmental exposure controls

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

Physical state	Liquid
Appearance	No data available
Colour	red
Odour	No data available
Odour threshold	No data available
рН	Not determined
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	Not applicable.
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Explosive limits	No data available
Vapour pressure	No data available
Relative vapour density at 20°C	No data available
Relative density	No data available
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Density	≈ 1.17 g/cm³

#### **SECTION 10: Stability and reactivity**

Reactivity	The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use
Conditions to avoid	None under recommended storage and handling conditions (see section 7)
Incompatible materials	No data available
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not
	be produced

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effe	cts	
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Ethylenediamine, ethoxylated and propox	ylated (26316-40-5)	
LD50 oral rat	> 5000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg bodyweight	
Skin corrosion or irritation	Not classified	
	pH: Not determined	
Serious eye damage or eye irritation	Not classified	
Respiratory sensitization	Not classified	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	



**SECTION 12: Ecological information** 

Safety Data Sheet According to ICOP 2014

Reprod	ogenicity luctive toxicity c target organ toxicity (STOT) – single re	Not classified Not classified Not classified
•	c target organ toxicity (STOT) – repeated	Not classified
•	ion hazard	Not classified

12.1. Ecotoxicity	
Ecology - general Hazardous to the aquatic environment, short–term	The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified
(acute) Hazardous to the aquatic environment, long–term (chronic)	Not classified
Ethylenediamine, propoxylated (25214-63-5)	
LC50 - Fish [1]	4500 mg/l Leuciscus idus (golden orfe)
EC50 72h - Algae [1]	35 mg/l
NOEC chronic crustacea	> 1 mg/l
12.2. Persistence and degradability	
CFS-F FX, A / CP 660, A	
Persistence and degradability	No additional information available
12.3. Bioaccumulative potential	
CFS-F FX, A / CP 660, A	
Bioaccumulative potential	No additional information available
12.4. Mobility in soil	
CFS-F FX, A / CP 660, A	
Mobility in soil	No additional information available
12.5. Other adverse effects	
Ozone	Not classified
Other adverse effects	No additional information available

## SECTION 13: Disposal information

13.1. Disposal methods	
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Additional information	packaging containing residues of or contaminated by dangerous substances. Dispose in a
	safe manner in accordance with local/national regulations.

#### **SECTION 14: Transportation information**

In accordance with ADR / IMDG / IATA / RID /



Safety Data Sheet According to ICOP 2014

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID num	nber		
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping r	name		
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard cla	ss(es)		
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			I
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazar	ds		I
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available		1

#### 14.6. Special precautions for user

#### Overland transport

No data available

Transport by sea

No data available

Air transport No data available

**Rail transport** 

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health, and environmental regulations specific for the hazardous chemical in question

Regulation		Component/ Mixture
EHS Notification and Registration Scheme		
Environmental Quality (Chlorofluorocarbons Prohibition) Order 1993	Not applicable	CFS-F FX, A / CP 660, A
Environmental Quality (Industrial Efflluent) Regulations 2009		CFS-F FX, A / CP 660, A
Environmental Quality (Scheduled Wastes) Regulations 2007		CFS-F FX, A / CP 660, A
Control of Industrial Major Accident Hazards Regulations 1996		CFS-F FX, A / CP 660, A
Prohibition of Use of Substance Order 1999	]	CFS-F FX, A / CP 660, A



Safety Data Sheet According to ICOP 2014

Use and Standards of Exposure of Chemical Hazardous to Health Regulations 2000		CFS-F FX, A / CP 660, A
Chemical Weapons Convention Act		CFS-F FX, A / CP 660, A
Corrosive and Explosive Substances and Offensive Weapons Act		CFS-F FX, A / CP 660, A
Dangerous Drugs Act		CFS-F FX, A / CP 660, A
Pesticides Act	List of active ingredients	CFS-F FX, A / CP 660, A
Petroleum (Safety Measures) Act	Not applicable	CFS-F FX, A / CP 660, A
Poisons Act 1952		CFS-F FX, A / CP 660, A
Poisons (Psychotropic Substances) Regulations 1989		CFS-F FX, A / CP 660, A

#### 15.2. International agreements

No additional information available

<b>SECTION 16: Other information</b>	
Version	6.2
Issue date	22/11/2024
Revision date	22/11/2024
Supersedes	17/10/2022

Indication of changes			
Section	Changed item	Change	Comments
			general update



Safety Data Sheet According to ICOP 2014

	CAC No. Chamical Abstract Comics number
Abbreviations and acronyms	CAS-No Chemical Abstract Service number
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ATE - Acute Toxicity Estimate
	BCF - Bioconcentration factor
	BLV - Biological limit value
	BOD - Biochemical oxygen demand (BOD)
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	DMEL - Derived Minimal Effect level
	DNEL - Derived-No Effect Level
	EC-No European Community number
	EC50 - Median effective concentration
	ED - Endocrine disrupting properties
	EN - European Standard
	IARC - International Agency for Research on Cancer
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	IOELV - Indicative Occupational Exposure Limit Value
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	LOAEL - Lowest Observed Adverse Effect Level
	N.O.S Not Otherwise Specified
	NOAEC - No-Observed Adverse Effect Concentration
	NOAEL - No-Observed Adverse Effect Level
	NOEC - No-Observed Effect Concentration
	vPvB - Very Persistent and Very Bioaccumulative
	WGK - Water Hazard Class
	VOC - Volatile Organic Compounds
	SDS - Safety Data Sheet
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006
	PNEC - Predicted No-Effect Concentration
	PBT - Persistent Bioaccumulative Toxic
	OEL - Occupational Exposure Limit
	OECD - Organisation for Economic Co-operation and Development
	COD - Chemical oxygen demand (COD)
	ThOD - Theoretical oxygen demand (ThOD)
	TRGS - Technical Rules for Hazardous Substances
	TLM - Median Tolerance Limit
	STP - Sewage treatment plant

Full text of H-statements	
H317	May cause an allergic skin reaction
H317	

SDS\_MY\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



#### CFS-F FX, B / CP 660, B Safety Data Sheet

According to ICOP 2014 Issue date: 22/11/2024 Revision date: 22/11/2024

Supersedes: 17/10/2022

Version: 6.2

#### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1. Product identifier

Name

CFS-F FX, B / CP 660, B

#### 1.2. Other means of identification

Product code

#### BU Fire Protection

#### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Supplier details

Supplier Hilti (Malaysia) Sdn. Bhd. F-5-A, Sime Darby Brunsfield Tower, No. 2, Jalan PJU 1A/7A Oasis Square, Oasis Damansara 47301 Petaling Jaya, Selangor Malaysia T +60 3 5628 7222 1800 880 985 toll free - F +60 3 7848 7399

#### Department issuing data specification sheet Hilti AG Feldkircherstraße 100 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-fire.protection@hilti.com

#### 1.5. Emergency phone number

Emergency number

GBK GmbH Global Regulatory Compliance +49 (0)6132-84463

Country	Organisation/Company	Address	Emergency number	Comment
Malaysia	Malaysia National Poison Centre (NPC) Universiti Sains Malaysia	11800 Penang	+60 (0)4 6536 999 (Mon-Fri 8am-10pm; Sat, Sun & Public Holiday 8am-5pm)	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the hazardous chemical

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2019)

Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion or irritation, Category 2	H315
Serious eye damage or eye irritation, Category 2	H319
Respiratory sensitisation, Category 1	H334
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity – Repeated exposure, Category 2	H373

#### 2.2. Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2019) Hazard pictograms (GHS MY)





Safety Data Sheet According to ICOP 2014

Contains	4,4'-diphenylmethanediisocyanate, isomeres and homologues; 4,4'-methylenediphenyl
	diisocyanate; diphenylmethane-4,4'-diisocyanate
Hazard statements (GHS MY)	H315 - Causes skin irritation
	H317 - May cause an allergic skin reaction
	H319 - Causes serious eye irritation
	H332 - Harmful if inhaled
	H334 - May cause allergic or asthma symptoms or breathing difficulties if inhaled
	H335 - May cause respiratory irritation
	H351 - Suspected of causing cancer
	H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS MY)	P260 - Do not breathe vapours
	P280 - Wear eye protection, protective clothing, protective gloves
	P285 - In case of inadequate ventilation wear respiratory protection
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing
	P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or
	doctor/physician

2.3. Other hazards that do not result in classification

No additional information available

#### SECTION 3: Composition and information of the ingredients of the hazardous chemical

#### 3.1. Substances

Not applicable

3.2. Mixtures		
Name	Product identifier	%
4,4'-diphenylmethanediisocyanate, isomeres and homologues	CAS-No.: 9016-87-9	50 – 100
4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	CAS-No.: 101-68-8	20 – 40

#### **SECTION 4: First-aid measures**

#### 4.1. Description of necessary first aid measures

Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
ute and delayed

Symptoms/effects after inhalationMay cause respiratory irritation. May cause allergy or asthma symptoms or breathing<br/>difficulties if inhaled. Danger of serious damage to health by prolonged exposure through<br/>inhalation. May cause an allergic skin reaction.



Safety Data Sheet According to ICOP 2014

Symptoms/effects after skin contact	Irritation. May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	Eye irritation. Causes serious eye irritation.
4.3. Indication of immediate medical att	tention and special treatment needed, if necessary
Other medical advice or treatment	Treat symptomatically.
SECTION 5: Fire-fighting measu	res
5.1. Suitable extinguishing media	
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Physicochemical hazards arising fr	om the chemical
Hazardous decomposition products in case of fi	ire Toxic fumes may be released. Carbon dioxide. Carbon monoxide.
5.3. Special protective equipment and p	precautions for fire fighters
3.5. Opecial protective equipment and p	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	a barren a barren da barren da barren de ser de

Protection during firefighting

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment, and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures Ventilate spillage area. Do not breathe vapours. Avoid contact with skin and eyes. Evacuate unnecessary personnel. 6.1.2. For emergency responders Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Emergency procedures Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, include	ing any incompatibilities
Storage conditions	Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well

## Storage conditions Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.



Safety Data Sheet According to ICOP 2014

Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C
eterage temperature	0 10 0

#### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)		
Malaysia - Occupational Exposure Limits		
Local name	al name Metilena bisfenil isosianat (MDI) (Difenilmetana diisosiana) # Methylene bisphenyl isocyanate (MDI) (Diphenylmethane diisocyanate)	
PEL (OEL TWA)	0.051 mg/m³	
	0.005 ppm	
MEL (mg/m³)	0.153 mg/m³	
MEL (ppm)	0.015 ppm	

#### Exposure limit values for the other components

No additional information available

#### 8.1.1 Biological monitoring

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

#### 8.3. Individual protection measures, such as PPE

Hand protection:					
Wear suitable gloves tested to EN374. Suitable for short-term work or as a splash guard: Nitrile rubber gloves (> 0.1 mm). In case of permanent product contact:					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0,35mm		
Disposable gloves	Butyl rubber	6 (> 480 minutes)	>0,35mm		

Eye protection:			
Chemical goggles or safety glasses. ISO 16321-1. EN 170			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet		EN 166, EN 170

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Not necessary with sufficient ventilation. Ensure good ventilation of the work station. Open windows during application to ensure natural ventilation. If the occupational exposure limit is exceeded: Wear appropriate mask. (e.g. gas filter type A1-P2 according to EN 14387)



Safety Data Sheet According to ICOP 2014

Personal protective equipment symbol(s):



Environmental exposure controls

Avoid release to the environment.

#### SECTION 9: Physical and chemical properties

Physical state Appearance Colour Odour Odour threshold pН Melting point Freezing point Boiling point Flash point Evaporation rate Flammability (solid, gas) Explosive limits Vapour pressure Relative vapour density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Density

Liquid No data available amber characteristic No data available No data available Not applicable No data available No data available > 200 °C No data available Not applicable, Non flammable. No data available Vapour pressure: 0.1 mbar No data available 299.766 mm<sup>2</sup>/s 346.23 mPa·s 1.155 kg/l

SECTION 10: Stability and read	
Reactivity	The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable under normal conditions,Not established
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use, Not established
Conditions to avoid	None under recommended storage and handling conditions (see section 7), Direct
	sunlight,Extremely high or low temperatures
Incompatible materials	Strong acids, Strong bases
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not
	be produced.fume.Carbon monoxide.Carbon dioxide

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Inhalation:dust,mist: Harmful if inhaled.
ATE MY (Dust, mist)	1.5 mg/l/4h

22/11/2024



Safety Data Sheet According to ICOP 2014

4,4'-diphenylmethanediisocyanate, isomeres and	4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)	
LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)	
LD50 dermal	9400 mg/kg	
LC50 Inhalation - Rat	0.49 mg/l	
4,4'-methylenediphenyl diisocyanate; diphenylmet		
LD50 oral rat	> 2000 mg/kg	
LD50 oral	31600 mg/kg	
LD50 dermal rabbit	> 9400 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 0.368 mg/l/4h	
	Causes skin irritation.	
Skin corrosion or irritation		
Serious eye damage or eye irritation	Causes serious eye irritation.	
Respiratory sensitization	May cause allergic or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Suspected of causing cancer.	
4,4'-diphenylmethanediisocyanate, isomeres and		
IARC group	3 - Not classifiable	
4,4'-methylenediphenyl diisocyanate; diphenylme	thane-4,4'-diisocyanate (101-68-8)	
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified	
Specific target organ toxicity (STOT) – single	May cause respiratory irritation.	
exposure		
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)	
Specific target organ toxicity (STOT) – single exposure	May cause respiratory irritation. May cause respiratory irritation.	
4,4'-methylenediphenyl diisocyanate; diphenylme	thane-4,4'-diisocyanate (101-68-8)	
Specific target organ toxicity (STOT) – single exposure	May cause respiratory irritation.	
Specific target organ toxicity (STOT) – repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)	
Specific target organ toxicity (STOT) – repeated exposure	May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.	
4,4'-methylenediphenyl diisocyanate; diphenylme	thane-4,4'-diisocyanate (101-68-8)	
Specific target organ toxicity (STOT) – repeated	May cause damage to organs through prolonged or repeated exposure.	
exposure		
Aspiration hazard	Not classified	
CFS-F FX, B / CP 660, B		
Viscosity, kinematic	299.766 mm²/s	
Potential adverse human health effects and symptoms	Harmful if inhaled.	



Safety Data Sheet According to ICOP 2014

<b>SECTION 12: Ecological information</b>	
12.1. Ecotoxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short–term (acute)	Not classified
Hazardous to the aquatic environment, long–term (chronic)	Not classified
Other information	Avoid release to the environment.
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h, Literature study)
BCF - Fish [1]	268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	10.46 (Calculated, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
12.2. Persistence and degradability	
CFS-F FX, B / CP 660, B	
Persistence and degradability	Not established.
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)
Not rapidly degradable	
Persistence and degradability	Not readily biodegradable in water.
4,4'-methylenediphenyl diisocyanate; diphenylme	thane-4,4'-diisocyanate (101-68-8)
Not rapidly degradable	
12.3. Bioaccumulative potential	
CFS-F FX, B / CP 660, B	
Bioaccumulative potential	Not established.
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)
BCF - Fish [1]	268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	10.46 (Calculated, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
CFS-F FX, B / CP 660, B	
Mobility in soil	No additional information available
4,4'-diphenylmethanediisocyanate, isomeres and	homologues (9016-87-9)
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	10.46 (Calculated, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Adsorbs into the soil.
12.5. Other adverse effects	
Ozone	Not classified



Safety Data Sheet According to ICOP 2014

Other adverse effects	No additional information available
SECTION 13: Disposal information	
13.1. Disposal methods	
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of
	contents/container to hazardous or special waste collection point, in accordance with local,
	regional, national and/or international regulation.
Ecological information	Avoid release to the environment.
Additional information	packaging containing residues of or contaminated by dangerous substances. Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: Transportation information**

#### In accordance with ADR / IMDG / IATA / RID / ADR IMDG ΙΑΤΑ RID 14.1. UN number or ID number Not regulated Not regulated Not regulated Not regulated 14.2. UN proper shipping name Not regulated Not regulated Not regulated Not regulated 14.3. Transport hazard class(es) Not regulated Not regulated Not regulated Not regulated 14.4. Packing group Not regulated Not regulated Not regulated Not regulated 14.5. Environmental hazards Not regulated Not regulated Not regulated Not regulated No supplementary information available

#### 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Rail transport Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



Safety Data Sheet According to ICOP 2014

#### **SECTION 15: Regulatory information**

15.1. Safety, health, and environmental regulations specific for the hazardous chemical in question

Regulation		Component/ Mixture
EHS Notification and Registration Scheme		
Environmental Quality (Chlorofluorocarbons Prohibition) Order 1993	Not applicable	CFS-F FX, B / CP 660, B
Environmental Quality (Industrial Effluent) Regulations 2009		CFS-F FX, B / CP 660, B
Environmental Quality (Scheduled Wastes) Regulations 2007		CFS-F FX, B / CP 660, B
Control of Industrial Major Accident Hazards Regulations 1996		CFS-F FX, B / CP 660, B
Prohibition of Use of Substance Order 1999		CFS-F FX, B / CP 660, B
Use and Standards of Exposure of Chemical Hazardous to Health Regulations 2000		CFS-F FX, B / CP 660, B
Chemical Weapons Convention Act		CFS-F FX, B / CP 660, B
Corrosive and Explosive Substances and Offensive Weapons Act		CFS-F FX, B / CP 660, B
Dangerous Drugs Act		CFS-F FX, B / CP 660, B
Pesticides Act		CFS-F FX, B / CP 660, B
Petroleum (Safety Measures) Act		CFS-F FX, B / CP 660, B
Poisons Act 1952		CFS-F FX, B / CP 660, B
Poisons (Psychotropic Substances) Regulations 1989		CFS-F FX, B / CP 660, B

#### 15.2. International agreements

No additional information available

SECTION 16: Other info	ormation	
Version	6.2	
Issue date	22/11/2024	
Revision date	22/11/2024	
Supersedes	17/10/2022	

Indication of changes			
Section	Changed item	Change	Comments
			general update



Safety Data Sheet According to ICOP 2014

	CAC No. Observiced Abstract Complete number
Abbreviations and acronyms	CAS-No Chemical Abstract Service number
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ATE - Acute Toxicity Estimate
	BCF - Bioconcentration factor
	BLV - Biological limit value
	BOD - Biochemical oxygen demand (BOD)
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	DMEL - Derived Minimal Effect level
	DNEL - Derived-No Effect Level
	EC-No European Community number
	EC50 - Median effective concentration
	ED - Endocrine disrupting properties
	EN - European Standard
	IARC - International Agency for Research on Cancer
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	IOELV - Indicative Occupational Exposure Limit Value
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	LOAEL - Lowest Observed Adverse Effect Level
	N.O.S Not Otherwise Specified
	NOAEC - No-Observed Adverse Effect Concentration
	NOAEL - No-Observed Adverse Effect Level
	NOEC - No-Observed Effect Concentration
	vPvB - Very Persistent and Very Bioaccumulative
	WGK - Water Hazard Class
	VOC - Volatile Organic Compounds
	SDS - Safety Data Sheet
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006
	PNEC - Predicted No-Effect Concentration
	PBT - Persistent Bioaccumulative Toxic
	OEL - Occupational Exposure Limit
	OECD - Organisation for Economic Co-operation and Development
	COD - Chemical oxygen demand (COD)
	ThOD - Theoretical oxygen demand (ThOD)
	TRGS - Technical Rules for Hazardous Substances
	TLM - Median Tolerance Limit
	STP - Sewage treatment plant
Other information	None.

Full text of H-statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergic or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer



Safety Data Sheet According to ICOP 2014

Full text of H-statements	
H373	May cause damage to organs through prolonged or repeated exposure

SDS\_MY\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.